



superior solutions for site safety

SMARTER, STRONGER, SAFER
SPILL CONTAINMENT AND CONTROL
SOLUTIONS FOR SITE SAFETY


installing**confidence**

superior spill prevention, containment and control solutions

Enware offers a complete range of superior solutions to meet the increased demands placed on industry for the safe handling, storage and transporting of a range of materials.

Enpac is a world leader in spill prevention and containment with proven quality you can depend on.

Our products are Smarter in design with patented features, made from 100% UV protected polyethylene making them Stronger and Safer in all applications.

SUPERIOR QUALITY:

Made with virgin polyethylene with UV inhibitor for maximum chemical resistance and longer life.

INCREASED PRODUCTIVITY:

Lightweight, economical material handling and storage to let workers move more products quickly and safely.

LIMITED WORKER EXPOSURE:

Accidents and exposure to hazardous materials reduced.

REDUCED MATERIAL COSTS:

Our products let you reclaim spills and maximise material utilisation.



**smarter
stronger
safer**

REDUCED DISPOSAL COSTS:

By reclaiming spilled material, disposal costs are reduced, saving thousands of dollars per incident.





LOWER INSURANCE COSTS:

Workers' compensation premiums may be reduced with the right facilities plan and materials handling products.



Contents

	SALVAGE DRUMS	03
Safely contain a wide range of hazardous materials		
	DISPENSING	04
Help save liquids that are lost during the dispensing process and help to protect worker safety		
	MOBILE DISPENSING	06
Transport and dispense hazardous materials efficiently and safely		
	STORAGE	07
Dispensing and secondary containment for IBCs. Hard cover spill pallets storage and tarps		

	WORK STATIONS	10
Can become part of your premises floor, optimising space for increased safety and efficiency		
	SPILL PALLETS	11
Secondary containment systems engineered to prevent costly clean-ups		
	PORTABLE CONTAINMENT	12
Wide range of sizes and capacities for large-scale containment		
	CYLINDER STORAGE AND DRAIN PROTECTION	15
Solutions to keep cylinders safe and to protect stormwater drains from accidental spills		

salvage drums

POLY-OVERPACK 95

SECURE TWIST DOWN LID

Our Poly-Overpack 95 meets Group 1 packaging standards and salvage drum regulations (unlike some competitors overpacks). The Poly-Overpack 95 safely contains a wide range of hazardous materials - including acids, corrosives and damaged parts in 205 litre drums. Meets performance oriented packaging requirements of US DOT and UN regulations.

- Ideal for hazardous drum transport and storage
- Moulded for easy grip and pick-up
- 100% UV protected polyethylene

Order Code:

E1237-YE

Exterior Height: 105 cm
Exterior Top Diameter: 81 cm
Exterior Base Diameter: 66 cm
Interior Height: 94 cm
Interior Top Diameter: 69 cm
Interior Base Diameter: 63 cm
Weight: 21.6 kg
Handling Capacity: 292.5 kg
Capacity: 361 litres

UN ratings: UN 1H2/X295/S and UN1H2T/Y295/S
Compliant to: DOT, EPA, SPCC and NPDES



Can be moved with standard material handling equipment



Nestable design for efficient storage



Drum truck portable



Drum attachment can be used to load the drum into the overpack



Angled rolling method can be used to manually work the drum into the overpack



Place damaged drum on lid, slide on overpack, tighten and rotate to upright position

POLY-OVERPACK 20 & 30 SALVAGE DRUMS

HALF TURN LID, PROVIDES EASIER ACCESS THAN OTHER "HOOP" RING DESIGNS

Handy size, more versatile units that can directly contain solids, sludges and smaller containers with security.

Poly-Overpack 20 Salvage Drum

Order Code:

E1220-YE

Exterior Height: 48 cm
Exterior Top Diameter: 57 cm
Exterior Base Diameter: 46 cm
Interior Height: 43 cm
Interior Top Diameter: 55 cm
Interior Base Diameter: 43 cm
Weight: 4.5 kg
Handling Capacity: 75 kg
Capacity: 75 litres

UN ratings: UN 1H2/X295/S and UN1H2T/Y295/S
Compliant to: DOT, EPA, SPCC and NPDES

Poly-Overpack 30 Salvage Drum

Order Code:

E1230-YE

Exterior Height: 76 cm
Exterior Top Diameter: 57 cm
Exterior Base Diameter: 43 cm
Interior Height: 71 cm
Interior Top Diameter: 55 cm
Interior Base Diameter: 43 cm
Weight: 6 kg
Handling Capacity: 100 kg
Capacity: 114 litres



WHEELED OVERPACKS 50 & 90

THE FIRST MOBILE ONE PIECE OVERPACKS ON WHEELS THAT CAN HANDLE WASTE AND CONTAINERS & DRUMS UP TO 205 LITRES

A salvage drum and dolly all in one, eliminating the need for a separate dolly for transportation. With built in handles and 15cm polyolefin wheels to provide easy steering through doorways or around obstacles. These are also an ideal storage for spill kits.

Wheeled Overpack 50

Order Code:

E1259-YE

Exterior Height: 115 cm
Exterior Top Diameter: 58 cm
Exterior Base Diameter: 51 cm
Interior Height: 91 cm
Interior Top Diameter: 51 cm
Interior Base Diameter: 45 cm
Weight: 21 kg
Handling Capacity: 125 kg
Capacity: 190 litres

UN ratings: UN 1H2/X295/S and UN1H2T/Y295/S
Compliant to: DOT, EPA, SPCC and NPDES

Wheeled Overpack 95

Order Code:

E1299-YE

Exterior Height: 119 cm
Exterior Top Diameter: 81 cm
Exterior Base Diameter: 64 cm
Interior Height: 94 cm
Interior Top Diameter: 69 cm
Interior Base Diameter: 64 cm
Weight: 25 kg
Handling Capacity: 113 kg
Capacity: 360 litres

Overpack 95, suitable for 250 litre drums



dispensing

THE POLY- RACK™ SYSTEM

SAFER DISPENSING AND STORAGE

- Poly-Racker forms the base and the stacker allows multiple rows for storage and dispensing
- Load using materials handling equipment
- Patented enclosed sump holds 386 litres
- Each Poly-Stacker holds 2 x 205 litre drums
- Store up to 6 drums using this system
- Optional Poly-Shelf easily attaches to Poly-Stacker for safer, simultaneous drum dispensing

Poly-Stacker

Order Code:

E6002-YE

Dimensions: 124 (L) x 104 (W) x 33 (H) cm
Load Bearing Capacity
UDL: 1,080 kg
Weight: 25 kg

Compliant to: DOT, EPA, SPCC and NPDES

Poly-Shelf

Order Code:

E6003-YE

Dimensions: 43 (L) x 56 (W) x 44 (H) cm
Load Bearing Capacity
UDL: 27 kg
Weight: 4.5 kg


Poly-Racker

Order Code:

E6000-YE

Dimensions: 124 (L) x 135 (W) x 58 (H) cm
Load Bearing Capacity
UDL: 1,360 kg
Sump Capacity: 386 litres

Smart storage
and dispensing
solution



UNIVERSAL WELL LINER

- Improves house keeping, catching incidental spills and drips

Order Code:

E6005-BK

Dimensions: 32 (L) x 39 (W) x 6 (H) cm
Weight: 0.6 kg
Sump Capacity: 1.5 litres



SINGLE POLY- RACK™ SYSTEM

ECONOMICAL, SPACE-SAVING SOLUTION TO STORING AND DISPENSING FROM 205 LITRE DRUMS

The system consists of separate single Poly-Racker, single Poly-Stacker, Universal Well Liner and Poly-Shelf. The Poly Stacker allows for stacking of a second 205 litre drum. The system holds 720 kg and the Poly-Racker features a 249 litre sump capacity!

Single Poly-Stacker

Order Code:

E6007-YE

Dimensions: 79 (L) x 104 (W) x 51 (H) cm
Load Bearing Capacity UDL: 360 kg
Weight: 22.5 kg

Poly-Shelf

Order Code:

E6003-YE

Dimensions: 43 (L) x 56 (W) x 44 (H) cm
Load Bearing Capacity UDL: 27kg
Weight: 4.5kg

Single Poly-Racker

Order Code:

E6006-YE

Dimensions: 79 (L) x 135 (W) x 82 (H) cm
Load Bearing Capacity UDL: 728 kg
Weight: 43 kg
Sump Capacity: 249 litres

Universal Well Liner

Order Code:

E6005-BK



MULTI - PURPOSE RACKER/STACKER™

MAXIMISES FLOOR SPACE

- Stackable design, can be used to store up to 4 drums on a Poly-Slimline 6000 Pallet
- Poly-Shelf compatible

Order Code:

E6004-YE

Dimensions: 123 (L) x 104 (W) x 51 (H) cm
Load Bearing Capacity UDL: 1,080 kg
Weight: 39 kg
Spill pallet not included

Order Code:

E5400-YE-D

- Refer to page 11

Regulations: EPA 40 CFR 264.175 compliant when used with 4-Drum Poly-Slim-Line 6000 Spill pallet

Stackable
design



MINI RACKER-STACKER™ SYSTEM

IDEAL FOR STORAGE AND DISPENSING OF SMALL CONTAINERS WITH BUILT-IN SPILL PROTECTION AND ENCLOSED SUMP

The Mini Racker-Stacker System helps save liquids that are routinely lost during the dispensing process and helps protect worker safety by keeping the dispensing area clean.

- Consists of the base Racker and the Stacker module
- The base Racker holds two 20 - 30 litre metal or plastic pails and saves liquids in an enclosed sump

Mini-Racker

Order Code:

E6010-YE

Dimensions: 79 (L) x 74 (W) x 38 (H) cm
Load Bearing Capacity UDL: 91 kg
Sump Capacity: 30 litres
Weight: 11 kg

Mini-Stacker

Order Code:

E6012-YE

Dimensions: 79 (L) x 48 (W) x 46 (H) cm
Load Bearing Capacity UDL: 45 kg
Weight: 7 kg

Mini-Stacker

Shown with 2 drum workstation
Workstation not included
- See page 10

Order Code:

E5117-YE



Ideal Solutions
for dispensing
smaller drums

MINI-STACKER

MINI-RACKER

Drain hole into
sump area.
30 litre sump



SINGLE POLY- RACK™ SYSTEM

INCIDENTAL SPILL PROTECTION

- Temporary protection from incidental barrel spills
- Takes drums up to 205 litres
- Reduces risk of injury due to slippery floors

Order Code:

E8091-YE

Height: 19 cm
Diameter: 86 cm
Sump Capacity: 75 litres
Weight: 2.8 kg



DRUMS - UP JR™

ECONOMICAL CONTAINMENT FOR UP TO 60 LITRE DRUMS

- Catches liquid before it reaches the floor

Order Code:

E8200-YE

Height: 19 cm
Diameter: 54 cm
Sump Capacity: 28.5 litres
Weight: 1.8 kg



mobile dispensing

POLY-DOLLY™

EASY LOADING & DISPENSING

- Reduces drum handling & improves safety
- Transports, tilts and dispenses up to 205 litre hazardous liquid drums with ease
- Secondary containment unit with convenient drain plugs

Order Code:

E5300-YE

Dimensions: 175 (L) x 81 (W) x 67 (H) cm

Load Bearing Capacity UDL: 270 kg

Sump Capacity: 265 litres

Weight: 43 kg



Pneumatic Wheel Conversion Kit

Recommended for rugged terrain. Sold separately the kit contains pneumatic wheels and washers.

Order Code:

E5311-BK



Poly-Dolly™ TARP

Protect your Poly-Dolly from outdoor elements with this durable vinyl tarp that fits snugly over the top.

Order Code:

E5300-TARP



POLY-SPILL CART™

MINIMISE THE RISK OF SPILLS DURING TRANSPORTING OF DRUMS

- Caster wheels let you move around freely
- Ergonomically designed handle for easy manoeuvring
- Tray for tool storage
- Removable grate for easy cleaning
- Drain plug lets you drain the sump without effort

Order Code:

E5200-YE

Dimensions: 169 (L) x 74 (W) x 112 (H) cm

Load Bearing Capacity UDL: 225 kg

Sump Capacity: 216 litres

Weight: 54 kg



SPILL SCOOTER™

INEXPENSIVE MOBILE DISPENSING

- Dispenses drums safely and efficiently during transportation around plant
- Secondary containment well for incidental spills and drips
- 100% polyethylene – won't rust or corrode
- Spout for easy draining
- Fits all drums up to 205 litres

Order Code:

E5205-YE

Exterior Dimensions: 88 (Diam) x 22 (H) cm

Interior Dimensions: 69 x 14 cm

Load Bearing Capacity UDL: 225 kg

Sump Capacity: 41 litres

Weight: 10 kg

Shown with optional:

Spill Scooter Handle

Order Code:

E5206-BK



ibc storage

IBC 2000i

SPILL CONTAINMENT UNIT MAKES INTERMEDIATE BULK CONTAINMENT EASIER

- The most versatile IBC spill containment unit available
- Integrated 19 litre pail holder for quick, easy dispensing
- Lightweight and forkliftable (NB: do not forklift with load)
- Nestable for shipping and storage
- Tough 100% polyethylene construction is chemical resistant and won't rust or corrode
- 1,457 litre sump capacity meets and exceeds EPA 40 CFR 264.175

IBC 2000i

Order Code:

E5469-YE-D

Pedestal Dimensions: 144 (L) x 144 (W) x 75 (H) cm

Overall Exterior Dimensions: 185 (L) x 204 (W) x 75 (H) cm

Load Bearing Capacity UDL: 3,628 kg

Sump Capacity: 1,457 litres

Weight: 132 kg

Protect your IBC2000i with a tarp made from high density Polyethylene fabric

Tarp for IBC 2000i

Order Code:

E5469-TARP



Grates on centre pedestal offer skid resistance

Stronger stable design 3,628 kg UDL



Forkliftable unladen

Integrated Pail Holder

Includes a drain for the sump

Drain plug for recovery of spilt product

DOUBLE IBC 4000i

MORE SIZE, SUMP AND VERSATILITY

- Strong durable 100% polyethylene containment unit
- 12 Heavy-duty removable and stackable grates
- More chemical resistance than steel frame IBC units
- Over 2,082 litre sump capacity
- Wide platform shelf accepts two IBC units
- Up to 4,536 kg handling capacity
- Nestable for convenient storage
- Link & lock grate design enhances stability
- Drain included

Order Code:

E5480-YE-D

Exterior Dimensions: 287 (Diam) x 180 (W) x 81 (H) cm

Load Bearing Capacity UDL: 4536 kg

Sump Capacity: 2082 litres

Weight: 171 kg



storage

DRUM TOP WORKSTATIONS™

CATCHES AND REDIRECTS LIQUIDS BACK INTO THE DRUM

With the Drum Top Workstation valuable resources are no longer wasted, helping reduce clean up costs and minimising the risk of slip and fall incidents. Equipped with a stainless steel mesh strainer, spilled liquids flow back into the drum ready for use.

- Easily fits 205L steel tight-head drums
- Durable, non-corrosive and chemical resistant polyethylene construction
- Works with most rotary drum pumps
- Raised rim reduces splashes and spills

Order Code:

E3200-BK

Exterior Height: 7 cm
Exterior Diameter: 61 cm
Interior Height: 5 cm
Interior Diameter: 51 cm
Weight: 1.36 kg

*Pump and bucket
not included*



UNIVERSAL POLY- DRUM FUNNEL™

SPLASH PROTECTION

- Protects against splashes when pouring liquids into closed head drums

Order Code:

E3004-YE

Exterior Height: 14 cm
Exterior Diameter: 66 cm
Interior Height: 10 cm
Interior Diameter: 56 cm
Weight: 2.3 kg

Shown with optional lid:

Universal Poly-Drum Funnel Cover

Order Code:

E3040-YE



POLY-TANK CONTAINMENT UNIT 550

KEEP HAZARDOUS LIQUIDS STORED SAFELY ABOVE THE GROUND

- Versatile containment systems for a variety of containers. Suitable for fuel storage tanks, 205 litre drums and IBC's
- Safely protects against hazardous liquid discharge into the ground
- Roomy interior leaves space for hoses and related equipment

Order Code:

E5550-BK

Dimensions: 287 (L) x 180 (W) x 81 (H) cm
Sump Capacity: 2,840 litres
Weight: 72 kg

Compliant to: DOT, EPA, SPCC and NPDES



HARD COVER SPILL PALLET STORAGE

IDEAL FOR INDOOR/OUTDOOR STORAGE OF 205 LITRE DRUMS

- Roll-top design allows for use in limited space or next to buildings where swing-open doors would be a problem
- Lockable door
- Shipped unassembled

2-Drum Hard Cover & Spill Pallet

Order Code:

E4062-YE

Exterior: 152 (L) x 95 (W) x 184 (H) cm
Interior: 130 (L) x 76 (W) x 132 (H) cm
Weight: 95 kg
Load Bearing Capacity UDL: 907 kg
Sump Capacity: 220 litres

Compliant to: DOT, EPA, SPCC and NPDES

Shown with optional
Poly Ramp Extender

Poly Ramp

Order Code:

E5039-BK

Suits E4064-YE-D (4 Drum Unit)
& E4062-YE-D (2 Drum Unit with
Ramp Extender)

Ramp Extender

Order Code:

E5038-BK

Required with Poly Ramp for
E4062-YE-D (2 Drum Unit)

4-Drum Hard Cover & Spill Pallet

Order Code:

E4064-YE

Shown with optional Poly-Ramp
(Product No. 5039-BK)
Exterior: 165 (L) x 147 (W) x 175 (H) cm
Interior: 124 (L) x 137 (W) x 136 (H) cm
Weight: 122 kg
Load Bearing Capacity UDL: 2722 kg
Sump Capacity: 250 litres

Compliant to: DOT, EPA, SPCC and NPDES



2 Drum



4 Drum

TARPS

- Quick, easy way to protect spill pallets and IBCs outdoors
- Tarps are made with an elasticised bottom with adjustable straps
- UV-inhibitors resist the effect of weathering
- Constructed of high density polyethylene fabric

Tarp for 2 Drum Poly-Spillpallet™ 2000

Order Code:

E5222-TARP



Tarp for IBC 2000i

Order Code:

E5469-TARP



Tarp for 4 Drum Poly-Spillpallet™ 6000

Order Code:

E5400-TARP



Tarp for 4-Drum In-Line Poly-Spillpallet™ 3000

Order Code:

E5102-TARP



Tarp for Poly-Dolly™

Order Code:

E5300-TARP



Tarp for Double IBC 4000i

Order Code:

E5480-TARP



work stations

2, 4, 6 & 8 DRUM WORKSTATIONS™

INCIDENTAL SPILL SOLUTIONS

- Easy to load with low profile design and optional ramp
- Tough polyethylene one-piece construction
- Becomes part of your factory floor, optimising space, safety and efficiency
- Large sump capacity
- Ideal as dispensing station or work centre
- Rolled edge design helps resist cracking and warpage
- Strong structural foam grates remove for easy cleaning
- Forkliftable unladen

Products shown include 2, 4, 6 and 8-drum workstations & two multi-purpose work ramps with three sets of link-locks



2-DRUM WORKSTATION™

Order Code:

E5117-YE

Dimensions: 135 (L) x 72 (W) x 14 (H) cm
Load Bearing Capacity UDL: 1,080 kg
Sump: 83 litres
Weight: 17 kg



4-DRUM WORKSTATION™

Order Code:

E5116-YE

Dimensions: 133 (L) x 135 (W) x 15 (H) cm
Load Bearing Capacity UDL: 2,700 kg
Sump: 151 litres
Weight: 32 kg



6-DRUM WORKSTATION™

Order Code:

E5115-YE

Dimensions: 196 (L) x 135 (W) x 15 (H) cm
Load Bearing Capacity UDL: 3,175 kg
Sump: 231.8 litres
Weight: 46 kg



8-Drum Workstation™

Order Code:

E5110-YE

Dimensions: 254 (L) x 135 (W) x 15 (H) cm
Capacity UDL: 3,630 kg
Sump: 272 litres
Weight: 78.5 kg



MULTI-PURPOSE WORK RAMP™

EASY LOADING

- Simply hooks onto the Workstation to make loading easier

Order Code:

E5111-BK

Dimensions: 64 (L) x 117 (W) x 16 (H) cm
Load Bearing Capacity UDL: 454 kg
Weight: 13.5 kg



LINK-LOCK™

SECURELY HOOKS MULTIPLE WORKSTATIONS TOGETHER

- Combine multiple Workstations to improve floor space efficiency
- 100% polyethylene - won't rust or corrode
- Sold in pairs

Order Code:

E5112-BK

Dimensions: 24 (L) x 18 (W) x 9 (H) cm
Weight: 1.3 kg



GRATES

EASY LOADING

New grates are available when required. Suits work stations, pallets and can be used with portable containment products.

Order Code:

E7006-BK

Dimensions: 122 (L) x 58 (W) x 4 (H) cm
Weight: 8 kg



spill pallets

4 -DRUM POLY-SLIM-LINE™ 6000

FORKLIFTABLE FROM ALL 4 SIDES

- Low density polyethylene
- Holds 4 x 205 litre drums
- Two removable, non-skid grates
- Drain hole and plug
- Low 30 cm profile
- Large footprint improves safety and holds a standard pallet
- 250 litre sump capacity meets EPA 40 CFR 264.175*

Order Code:

E5400 -YE-D

Dimensions: 137 (L) x 137 (W) x 30 (H) cm
Load Bearing Capacity UDL: 2,700 kg
Sump Capacity: 250 litres
Weight: 41 kg

* EPA 40 CFR 264.175 is a U.S. code

Tarp to suit

Order Code:

E5400-TARP



Strong 2,700 kg
UDL capacity

250 litre sump
capacity meets
EPA guidelines

Larger footprint
for improved
safety and spill
protection

fork from
all sides


Raised edge
improve load
security

smarter
rigid design

Polyethylene
construction for
superior chemical
resistance

Translucent
for easy spill
identification

Extra support
on corners to
maintain pallet
integrity



2-DRUM POLY-SPILLPALLET™ 2000

PREVENTS COSTLY CLEANUPS

- 100% polyethylene
- Nestable
- Non-skid, removable grates
- Forkliftable
- Drain hole and plug
- Meets EPA 40 CFR 264.175*

Order Code:

E5222-YE-D

Dimensions: 66 (L) x 130 (W) x 53 (H) cm
Load Bearing Capacity UDL: 907 kg
Sump Capacity: 250 litres
Weight: 20 kg

* EPA 40 CFR 264.175 is a U.S. code

Tarp

Order Code:

E5222-TARP



4-DRUM IN-LINE POLY-SPILLPALLET™ 3000

SPACE SAVING DESIGN

- Lets you store drums near walls, between columns, etc.
- 250 litre sump capacity meets EPA 40 CFR 264.175*
- Raised edge on back and sides helps secure drums on pallet
- Holds 4 x 205 litre drums
- Non-skid removable grates
- 100% polyethylene
- Low 30 cm profile
- Drain hole and plug
- Meets EPA 40 CFR 264.175*

Order Code:

E5102 -YE-D

Dimensions: 249 (L) x 64 (W) x 30 (H) cm
Load Bearing Capacity UDL: 1350 kg
Sump Capacity: 250 litres
Weight: 38 kg

*EPA 40 CFR 264.175 is a U.S. code

Tarp

Order Code:

E5102-TARP



portable containment

STINGER YELLOW JACKET™ - CHEMICAL

PORTABLE, LIGHTWEIGHT PALLET TO PREVENT SPILLS

Carry this lightweight, portable pallet anywhere and contain spills.

- Convenient temporary material storage
- Folds up for compact storage and transport
- Made of strong vinyl coated polyester for chemical resistance - including battery acid
- Unique snap-up support stays create a sturdy sidewall when unit is opened
- Excellent for decontamination applications

Suitable for
chemical
applications

Order Code:

E5700-YE

Dimensions: 1.22 m (L)
x 1.22 m (W) x 20 cm (H)
Weight: 7 kg
Sump Capacity: 302 litres

Order Code:

E5706-YE

Dimensions: 1.83 m (L)
x 1.83 m (W) x 20 cm (H)
Weight: 11 kg
Sump Capacity: 681 litres

Order Code:

E5708-YE

Dimensions: 3.05 m (L)
x 3.05 m (W) x 20 cm (H)
Weight: 16.4 kg
Sump Capacity: 1,896 litres

Order Code:

E5710-YE

Dimensions: 1.83 m (L)
x 1.22 m (W) x 20 cm (H)
Weight: 8 kg
Sump Capacity: 454 litres

Order Code:

E5720-YE

Dimensions: 2.44 m (L)
x 1.22 m (W) x 20 cm (H)
Weight: 13 kg
Sump Capacity: 605 litres

Optional grates available

Order Code:

E7006-BK

Refer to page 10



Larger sizes available
contact Enware for more details.

STINGER SNAP-UP BERM™ - HYDROCARBON

LARGE SCALE IMMEDIATE SPILL RESPONSE

Stinger Berms feature excellent rip, tear and puncture resistance for the most demanding application or terrain.

- Easy to assemble snap-up design permits immediate response
- Compact storage and transport
- Air-lance tested containment welds for maximum product performance
- Lap joint welds for maximum strength
- Fuel/chemical resistant containment area
- Folds up for compact storage and transport

Suitable for
hydrocarbon
applications

Order Code:

E4801-BK-SU

Dimensions: 1.22 m (L)
x 1.22 m (W) x 20 cm (H)
Weight: 5 kg
Sump Capacity: 299 litres

Order Code:

E4803-BK-SU

Dimensions: 1.22 m (L)
x 1.83 m (W) x 20 cm (H)
Weight: 8 kg
Sump Capacity: 451 litres

Order Code:

E4805-BK-SU

Dimensions: 1.22 m (L)
x 2.44 m (W) x 20 cm (H)
Weight: 9.5 kg
Sump Capacity: 602 litres

Order Code:

E4810-BK-SU

Dimensions: 3.05 m (L)
x 3.05 m (W) x 30 cm (H)
Weight: 27.3 kg
Sump Capacity: 2,831 litres

Order Code:

E4820-BK-SU

Dimensions: 7.92 m (L)
x 3.05 m (W) x 30 cm (H)
Weight: 55 kg
Sump Capacity: 7,359 litres



Larger sizes available contact Enware for more details

GROUND PAD

Protect berms from truck wheels or rough terrain. Goes underneath the berm to prevent underside punctures from sharp objects.

Contact Enware for more information.



STORAGE AND TRANSPORT BAG

Contact Enware for more information.



STINGER SPILLPAL™ WITH REMOVABLE FOAM SIDEWALLS

YOUR INSTANT CONTAINMENT BERM ANSWER

Available in standard and custom sizes, ENPAC ensures the right berm for every containment need.

- High chemical resistance allows for easy, reliable spill containment
- Removable logs provide excellent protection from chemicals and liquids
- Sturdy construction with drive-in and drive-out capability
- High strength connectors
- Two way air relief valve system that facilitates automatic entry/exit without assistance
- Lightweight and durable logs can be driven over at any angle

Order Code:

E4901-BK

Material: Standard
Dimensions: 4.4 m (L)
x 3.7 m (W) x 11 cm (H)
Weight: 26 kg
Sump Capacity: 1,910 litres

Order Code:

E4905-BK

Dimensions: 15.5 m (L)
x 3.7 m (W) x 11 cm (H)
Weight: 79 kg
Sump Capacity: 6,492 litres

Order Code:

E4903-BK

Dimensions: 10 m (L)
x 3.7 m (W) x 11 cm (H)
Weight: 48 kg
Sump Capacity: 4,201 litres

With removable side walls



Larger sizes available contact Enware for more details.

STINGER SNAP-FOAM BERM™ - HYDROCARBON

TRUE DRIVE-IN/DRIVE-OUT CAPABILITY

The ENPAC Snap-Foam Berm allows for one-time set-up and then continual drive in and drive out without ever having to set down the end sidewalls.

The end sidewall design incorporates high strength connectors and a two way air-relief system that facilitates automatic entry/exit without assistance.

- Easy to assemble design permits immediate response
- Compact storage and transport
- Air-lance tested containment welds for maximum product performance
- Foam end caps form 2-way air-relief system to snap end sidewalls back automatically to their upright position
- Lap joint welds for maximum strength
- Fuel/chemical resistant containment area
- Custom sizes and special materials available

Order Code:

E4820-BK-SF

Dimensions: 7.92 m (L)
x 3.05 m (W) x 30 cm (H)
Weight: 64 kg
Sump Capacity: 7,358 litres

Order Code:

E4860-BK-SF

Dimensions: 18.28 m (L)
x 3.65 m (W) x 30 cm (H)
Weight: 132 kg
Sump Capacity: 20,384 litres

Order Code:

E4836-BK-SF

Dimensions: 10.97 m (L)
x 3.66 m (W) x 30 cm (H)
Weight: 90 kg
Sump Capacity: 12,230 litres

Order Code:

E4885-BK-SF

Dimensions: 25.90 m (L)
x 4.26 m (W) x 30 cm (H)
Weight: 215 kg
Sump Capacity: 33,693 litres

Order Code:

E4854-BK-SF

Dimensions: 16.45 m (L)
x 4.26 m (W) x 30 cm (H)
Weight: 114 kg
Sump Capacity: 21,402 litres

TRACMAT™

Placed inside the berm, allowing trucks to drive in and out while protecting the berm from punctures and tears.

Contact Enware for more information.



GROUND PAD

Protect berms from truck wheels or rough terrain. Goes underneath the berm to prevent underside punctures from sharp objects.

Contact Enware for more information.



Drive in drive out capability



Shown here with TracMat

portable containment

SPILLPAL™

CONVENIENT TEMPORARY MATERIAL STORAGE

- SpillPal provides incidental spill control during temporary storage of drums, machine parts, tanks and generators and can also be used as a washdown pad or pumping station
- Flexible sidewalls spring back to form which allows easy drive-in and drive-out with a hand truck or forklift
- Store anything from one drum to two IBCs
- No more ramps

1-Drum Spillpal™

Order Code:

E5750-YE

Dimensions: 0.61 m (L)

x 0.61 m (W) x 8 cm (H)

Weight: 1 kg

Sump Capacity: 38 litres

Compliant to: DOT, EPA, SPCC and NPDES

2-Drum Spillpal™

Order Code:

E5755-YE

Dimensions: 0.61 m (L)

x 1.22 m (W) x 8 cm (H)

Weight: 2 kg

Sump Capacity: 57 litres

Compliant to: DOT, EPA, SPCC and NPDES

4-Drum Spillpal™

Order Code:

E5760-YE

Dimensions: 1.22 m (L)

x 1.22 m (W) x 8 cm (H)

Weight: 2.5 kg

Sump Capacity: 114 litres

Compliant to: DOT, EPA, SPCC and NPDES

4-Drum In-Line Spillpal™

Order Code:

E5765-YE

Dimensions: 0.61 m (L)

x 2.4 m (W) x 8 cm (H)

Weight: 3 kg

Sump Capacity: 114 litres

Compliant to: DOT, EPA, SPCC and NPDES

8-Drum Spillpal™

Order Code:

E5775-YE

Dimensions: 1.22 m (L)

x 2.4 m (W) x 8 cm (H)

Weight: 4.1 kg

Sump Capacity: 227 litres



Compliant to: DOT, EPA, SPCC and NPDES

Optional grates available,
refer to page 10

Order Code:

E7006-BK

Suitable for
chemical
applications



PROWLER™ POOLS

THE EASIEST, LIGHTEST SPILL CONTAINMENT

POOLS AVAILABLE

Prowler Pop-up Pools offer excellent resistance to the widest range of chemicals, acids, fuels and other hazardous materials. Also resistant to cold temperatures to -50°C, abrasion, punctures and UV rays. Prowler is half the weight of comparably sized PVC pools while offering twice the strength.

- Fits easily into spill response kits
- Compact, lightweight and portable
- Excellent for immediate spill response

Prowler Pool 250

Order Code:

E5966

Dimensions: 122 cm base

x 33 cm high x 91 cm top

Weight: 1.4 kg

Sump Capacity: 250 litres

Larger sizes available contact Enware for more details.



cylinder storage and drain protection

UNIVERSAL CYLINDER BRACKET™

Ideal for low-cost wall or truck mounted storage. Design your own configuration to hold one, two, three, or x amount of cylinders with extendable modular flexibility. Units link together to customise the amount of cylinders needed. Attaches to any wall or truck bed securely and easily. Accommodates cylinders from 7.6 to 25.4 cm in diameter and saves space on any wall. Straps included.

Order Code:

E7216-YE

Dimensions: 38.7 cm (L)
x 15.9 cm (W) x 8.3 cm (H)
Weight: 0.5 kg



SINGLE CYLINDER DOLLY™ HD

The Single CylinderDolly™ HD is designed for demanding industrial facilities or tough outdoor applications in which transport of a single cylinder is required. Accommodates one cylinder, up to 30.5cm in diameter, including class 300 SCF industrial gas cylinders and No. 5 acetylene cylinders.

Order Code:

E7301-BK

Dimensions: 60 cm (L)
x 58 cm (W) x 117 cm (H)
Weight: 17.7 kg
Handling Capacity: 113.4 kg



STORM SENTINEL™ ADJUSTABLE BASIN INSERT

CATCH OIL AND SEDIMENT HEADED INTO STORM DRAINS AND SEWERS

The Storm Sentinel™ Drain Protection Inserts help companies comply with Stormwater Pollution Prevention Plans and Stormwater Best Management Practices by protecting your storm drains and catch basins.

Order Code:

E1340

Settlement only.
Suits Round drains.

Order Code:

E1341

Settlement only.
Suits Rectangular drains.

Order Code:

E1343

Settlement & Oil with Non-leaching
Hydrocarbon Packet.
Suits Round drains.

Order Code:

E1344

Settlement & Oil with Non-leaching
Hydrocarbon Packet.
Suits Rectangular drains.

Order Code:

E1342

Replacement Non-leaching
Hydrocarbon Packet.



SPILL PROTECTOR™ DRAIN COVER

PREVENT HAZARDOUS MATERIALS FROM REACHING DRAINS AND PRECIOUS SURFACE WATER

The dual-durometer urethane composition makes ENPAC'S SPILL PROTECTOR™ a highly effective barrier that protects drains from a variety of hazardous materials.

Spill Protector Drain Cover-24

Order Code:

E13-2424SP

Dimensions: 61 cm (L)
x 61 cm (W) x 1.3 cm (H)
Weight: 4 kg

Spill Protector Drain Cover-48

Order Code:

E13-4848SP

Dimensions: 122 cm (L)
x 122 cm (W) x 1.3 cm (H)
Weight: 8 kg



colour may vary

ALSO AVAILABLE FROM ENWARE

EMERGENCY SHOWERS

Manufactured from stainless steel, our wide range of emergency showers are designed for personal safety, particularly in applications such as mining, petroleum & oil refineries, chemical manufacturing and handling, as well as laboratories and hospitals. Available as stand alone and as combination showers with eye or eye/face washes, all are independently tested for compliance to ANSI Z358.1-2009 and AS4775-2007.

Order Code:

ECE270 - Combination Emergency Shower with Hand/Foot Operated Eye/Face Wash (pictured here).



EYE AND EYE/FACE WASHES

Our wide range features zero velocity point which provides more comfort and control for cleansing of eyes. Eye/face washes feature "Vertex technology" where independently face wash streams provide optimum coverage of face and independent eyewash streams target the eyes for more effecting cleansing.

Order Code:

EFE390 - Emergency Pedestal Mounted Hand/Foot Operated Eye/Face Wash (pictured here).



SELF CONTAINED EYEWASHES

Self-Contained or Gravity Fed Eyewash and Body Spray Units are Enware's non-plumbed solution to enhancing your safety. They can be easily relocated to provide emergency eyewash capability near hazards which helps reduce on-the-job eye injuries and is ideal for sites without plumbing.

Order Code:

EL483 - Self Contained Gravity Fed Eye Wash (pictured here).



SELF CONTAINED EMERGENCY SHOWER WITH EYEWASH

Our Award Winning EM850 safety shower and eyewash is tough, reliable and designed for use in some of the world's most remote and harsh conditions. Manufactured from stainless steel the EM850 is ideal for mining, oil and gas, defence and heavy industry applications where services are limited, or non-existent, as it is completely self contained with no mains power or plumbing connections required.

Order Code:

EM805



LABORATORY SAFETY

Supplementary support Eye Washes and body sprays providing quick response to spills of hazardous substances, including acid and alkalis. Our laboratory solutions provide easily accessible and quickly usable safety equipment.

Order Code:

EL450 - Wall Mounted Hand Held Single Outlet Eye Wash and Body Spray (pictured here).



SPILL KITS

ZeoMed provides a complete, quick response solution for general and body fluid spills. Our kits come complete with everything needed to have an effective spill management system and have been designed to meet infection control and Safe Work Australia guidelines

Order Code:

ZE0-2S13 - Body Fluid Clean Up Kit (pictured here).



ENWARE
installing**confidence**

OUR OFFICES

NEW SOUTH WALES | VICTORIA | SOUTH AUSTRALIA | WESTERN AUSTRALIA
QUEENSLAND | NEW ZEALAND | ASIA | MIDDLE EAST

1300 369 273 | WWW.ENWARE.COM.AU | INFO@ENWARE.COM.AU